

Double ended grinder for workshops and industry

1533208

Slibette Double-ended grinders - Slibette 8NX



SLIBETTE bench grinding machines are the result of 100 years' experience, in the development and production of grinding machines.

The only powerful motor unit in the market, single phase or three phases, designed for continuous operations.

The grinding wheels are accurately balanced - mounted in protected dust-proof sealed ball bearings, - low noise and vibration level.

Heavy motor



- Adjustable tool rests
- Large adjustable eyeshield
- Switch with separate emergency stop
- Unique design
- Self-lubricating bearings
- Can be used continuously without burning out.
- With built-in spark arrester.

All Slibette machines are offered, against a small extra price, with motor brake and separate emergency stop.

Product Link:

https://kef-motor.dk/en/product/double-ended-grinder-for-workshops-and-industry-297



Product Specification

Grit	36/60
Wheel size, Grinding wheel (ø mm)	200x32x20
Voltage	3x400V-50 Hz
Rpm	3000
Motor (Watt)	830
Length (mm)	500
Width (mm)	280
Height (mm)	270
Number of spindle speeds	1
With exhaust	1
On pedestal with table and water cup	1
EX – 16 with table and watercup	1

Product Link:

https://kef-motor.dk/en/product/double-ended-grinder-for-workshops-and-industry-297